

MATERIAL SAFETY DATA SHEET

Date Prepared: 03/03/08 INFOTRAC: (800) 535-5053

By: IMAGE TECHNOLOGY

Section I General Information

Product: EMULSION REMOVER Product Number: ER-675

Range: 0=Minimal
4=Severe

HEALTH
1

FIRE REACT
0 0

Manufacturer: IMAGE TECHNOLOGY Chemical Family: SALT OF PERIODATE
1380 N. KNOLLWOOD CIRCLE
ANAHEIM, CA 92801
(714) 252-0160

Special: Observe good industrial hygiene when handling

Section II Hazardous Ingredients

CHEMICAL: sodium metaperiodate

CASE Number: 7790-28-5

Percent By Volume: < 40 %

Exposure Limits In Air: ACGIH(TLV): N/E ppm

OSHA(PEL): N/E ppm

Section III Health Hazard Data

Effects of Overexposure

Skin: Contact of this product upon the skin can cause irritation and/or tissue damage.

Eyes: Contact of this product upon the eyes can cause irritation and/or painful chemical burns of the eyes and eyelids.

Inhalation: Fumes from this product can cause irritation of the nose, nasal passages and lungs.

Ingestion: When concentrated solutions of this product are swallowed, it will cause chemical burns of the mucous membranes in the mouth, esophagus, stomach, and intestinal tract.

First Aid Procedures

Skin: Flush exposed area for 15 minutes with lukewarm water. Consult physician immediately.

Eyes: Flush eyes with cool water for 30 minutes. Consult physician immediately.

Inhalation: Remove patient to clean atmosphere and administer oxygen if it is available. Consult a physician immediately.

Ingestion: Do not induce vomiting. Have patient drink large amounts of water or milk. Consult a physician immediately.

Carcinogens

FED/OSHA: NTP: IARC: CAL/OSHA:

Section IV Spill, Leak, and Disposal Procedures

Spill Control

Small Spill: Flush area with water to an industrial sewer line.

Large Spill: Contain spill with dikes of absorbent materials such as clay, sand, or vermiculite. Collect material in a certified class one disposal facility.

Waste Disposal

All hazardous materials must be solidified and disposed of in an EPA approved class one facility. When disposing of chemicals, contact local, state, and federal environmental agencies to fully understand the necessary regulations governing the disposal of chemical wastes.

Section V Fire and Explosion Hazards

Flash Point: NONE

Method: Average

Flammable Limits in Air:

Lower: N/E Upper: N/E

Fire Extinguishing Materials: WATER, SAND, CO2, DRY FOAM, HALON

Special Fire Fighting Procedures: Self contained breathing apparatuses are recommended for fire fighters. This material readily ignites if near a high temperature source or open flame.

Unusual Fire & Explosion Hazards: If this material is exposed to direct flame, there is a possibility that a fire may occur. Great care should be taken when handling an oxidizer near fire or open flame. If the product is spilled on clothing, it should be washed off immediately.

Note: Under normal conditions hazardous polymerization will not occur.

Section VI Physical Data

Boiling Point: 170 F

Specific Gravity (water = 1): 0.97

Vapor Pressure: <.01

Percentage of Volatiles: NONE

Vapor Density: >1

Evaporation Rate (water = 1): <.01

pH (concentrate): 3-4

pH (1% solution): 5-6

Solubility in Water: COMPLETE

Appearance and Order: CLEAR LIQUID WITH

NO ODOR

Section VII Special Protection Information

Respiratory Protection: Not required under NORMAL conditions of use.

Protective Gloves: To avoid possible defatting of the skin or tissue damage, it is recommended that rubber or plastic gloves be worn.

Eye Protection: When handling this product and there is the possibility of splashing it is recommended that proper protection for the eyes be worn. This consists of goggles and/or face shield.

Other Equipment: When handling chemicals in 55 gallon drums, it is recommended that steel toed rubber boots and a splash apron be worn.

Section VIII Special Precautions

*Chemicals can be hazardous if not respected. The use of proper equipment and procedures for handling chemicals are not only of benefit for their obvious uses, but can reduce the possibility of serious injury and time loss accidents.

*Keep this material away from high heat and observe proper house keeping procedures.

*DO NOT mix chemicals unless instructed by qualified personnel.

*This product is 100% biodegradable.

Note: This data is furnished gratuitously independent of sale of the product and only for your investigation and independent verification while data is believed to be correct, IMAGE TECHNOLOGY shall in no event be liable or responsible for damages whatsoever, directly or indirectly, resulting from the publication or use of or reliance upon data contained herein. No warranty, either implied or expressed, of merchantability of fitness or of any nature with respect to the product or to the data is made herein. You are urged to obtain data sheets for all IMAGE TECHNOLOGY materials you buy, process, use, or distribute, and are encouraged to advise anyone working with or exposed to such materials of the information contained herein.

Sources: 1) Dangerous Properties of Industrial Material: Sax, 6th Ed 2) Hand of Toxic Hazardous Chemicals and arcinogens: Sittig 2nd Ed 3) Condensed Chemical Dictionary: Hawley, Tenth Ed 4) TLV's and Biological Exposure Indices for 1985-86: ACBIH, 2nd Print 5) Director's List of Hazardous substances: State of Cal., 1st printing 6) Title 29 CFR parts 1900 to 1910, Revised as of July 1, 1984 7) Documentation of TLV's and EI's: ACBIH, 5th Ed 8) Guidelines for the selection of chemical Protective Clothing: ACBIH, 2nd printing 9) Emergency Response Guidebook: Department of Transportation, 1984 Ed